

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A01G	A2	(11) International Publication Number: WO 00/07427 (43) International Publication Date: 17 February 2000 (17.02.00)
(21) International Application Number: PCT/IL99/00420 (22) International Filing Date: 30 July 1999 (30.07.99) (30) Priority Data: 125632 3 August 1998 (03.08.98) IL (71) Applicant (for all designated States except US): AGRICULTURAL RESEARCH ORGANIZATION [IL/IL]; Volcani Center, P.O. Box 6, 50250 Bet Dagan (IL). (72) Inventors; and (75) Inventors/Applicants (for US only): KAPULNIK, Yoram [IL/IL]; Hayasmin Street 52, 99797 Carmey Yoset (IL). GINZBERG, Idit [IL/IL]; Rambam Street 26, 43602 Raanana (IL). (74) Agent: FRIEDMAN, Mark, M.; Beit Samueloff, Haomanim 7, 67897 Tel Aviv (IL).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: METHOD FOR SELECTIVE AND OPTIONALLY REVERSIBLE DEGENERATION OF SOMATIC PLANT TISSUE		
(57) Abstract A method of effecting degeneration of a somatic plant tissue of a plant by expressing in cells of the somatic plant tissue a heterologous protein capable of binding a plant essential factor, wherein expressing the heterologous protein is effected in a fashion, so as to lead to depletion of the essential factor such that plant viability is maintained, while at the same time, degeneration of the somatic plant tissue is effected.		